

Classification:

EL09-016a

Reference:

ITB09-024a

COPYRIGHT© NISSAN NORTH AMERICA, INC.

Date:

December 15, 2009

## WIPER BLADE COVER REMOVAL

This bulletin has been amended. The Applied Vehicles and Applied Dates have been updated. No other changes have been made.

**APPLIED VEHICLES:**

2009-2010 EX35 (J50)  
2009-2010 FX35/FX50 (S51)  
2009-2010 G37 Coupe (CV36)  
2009-2010 G37 Convertible (HV36)  
2009-2010 G37 Sedan (V36)

**APPLIED DATES:**

Vehicles built between Nov 04, 2008 and Mar 31, 2009,  
and built after Oct 05, 2009

**SERVICE INFORMATION**

- The Applied Vehicles above have wiper blade covers installed on the wiper blades at Infiniti Plant facilities before the vehicle is shipped for sale.
- The wiper blade covers protect the wiper blade and prevent wiper blade damage during vehicle transportation and storage.
- These covers should remain on the wiper blades until the vehicle is sold.
- Wiper blade covers must be removed from the wiper blades just before the vehicle is delivered to the customer.
- See the Service Procedure on the next page for wiper blade cover removal information.

Infiniti Bulletins are intended for use by qualified technicians, not 'do-it-yourselfers'. Qualified technicians are properly trained individuals who have the equipment, tools, safety instruction, and know-how to do a job properly and safely. NOTE: If you believe that a described condition may apply to a particular vehicle, DO NOT assume that it does. See your Infiniti dealer to determine if this applies to your vehicle.

## SERVICE PROCEDURE

1. Hold the wiper arm and lift the wiper away from the windshield.



Figure 1

### CAUTION:

- DO NOT lift by holding the blade.
- This may deform the blade and reduce wiping performance.




Figure 2

2. Slide the wiper cover off of the wiper blade.




Figure 3

3. Carefully lower the wiper blade onto the windshield.



Figure 4

4. Perform steps 1, 2, and 3 for both wiper blades.

## Other Wiper Cover Information

- If the wipers are operated during transportation and storage, the wiper covers may move out of place as shown in Figure 5.
- If for any reason you need to operate the wipers before the vehicle is delivered to the customer, make sure the wiper covers are properly installed and will not interfere with wiper operation.



Figure 5